The Bryologist 108(4), pp. 621–629
Copyright © 2005 by the American Bryological and Lichenological Society, Inc.

Index to Volume 108 of The Bryologist

EMILY L. POWOROZNEK
Engineering, Mathematics, and Computer Science Library, New Hampshire Hall, University of New Hampshire, 124 Main St., Durham, NH 03824-3559, U.S.A.

DAVID M. LANE
Biological Sciences Library, Kendall Hall, University of New Hampshire, 129 Main St., Durham, NH 03824-3590, U.S.A.

This index includes all authors and all scientific names of plants under study. Taxa listed in checklists are not included to avoid complete duplication of the checklists in the index. The format of previous indexes is retained for continuity: new scientific names and combinations are in boldface, page numbers of synonyms are in italics, taxa mentioned several times in an article are indicated by a plus sign (+) after the page number, and illustrations are indicated by an asterisk (*). In addition, maps are indicated by a small "m." Checklists and keys are grouped under the entries "List" and "Key." Lichen substances and selected keywords in the titles and text of articles are also included.

We welcome all comments and suggestions. Please send them to david.lane@unh.edu.

4′-*O*-demethylsekikaic acid (Protousnea), 1+
4′-*O*-demethylsubsekikaic acid (structure), 8*
4′-*O*-demethylsubsekikaic acid (synthesis), 3
^{1}H spectra (alditol acetates), 118
^{13}C NMR (Arabinogalactomannoglucan), 118+*
18S rDNA (Microdendron), 591+

Abundance (Platismatia norvegica), 507+
Abundance of bryophytes in fragments, 56
Abundance of lichens in fragments, 58
Abundance-range size relationship, 554
Acidodontium heteroneuron, 125; megalocarpum, 125; ramicola, 125; seminerve, 125; sprucei, 125; subrotundum, 125
Adobe Photoshop, 112
Age class, 69+
Agro-environments, 50+
AGUIRRE-HUDSON, BEGOÑA. [Review of:] DÖBBELER, PETER and GERHARD RAMBOLD (EDITORS). Contributions to Lichenology: Festschrift in Honour of Hannes Hertel, 340
Air humidity (lichen), 513+
Alberta (Canada), 52, 86+
Alectoria sarmentosa, 427+
Aliphatic diacid (Lepraria), 224+
ALLEN, BRUCE, WILLIAM R. BUCK, and RONALD A. PURSELL. Recent Literature on Bryophytes—108(2), 324+
ALLEN, BRUCE, WILLIAM R. BUCK, and RONALD A. PURSELL. Recent Literature on Bryophytes—108(3), 450+
ALLEN, BRUCE H. *See* BUCK, WILLIAM R., 158+
ALLEN, BRUCE H. *See* BUCK, WILLIAM R., 600+
ALLEN, BRUCE. *See* REDFEARN, PAUL L., JR., 406+
Alpine regions, 259+
Amandinea punctata, 61+
Amber (fossil mosses), 526+
Amblystegium serpens, 61+, 91
America, North and South (Parmotrema), 402+
Americas (Gomphillus), 491+m
Analysis of similarities, 72
Anastrophyllum hellerianum, 95
Andeo-Patagonian forests (Protousnea), 8
Anderson, Lewis, 620
Anema, 520; dodgei, 520; prodigulum, 520
Angardianic acid (Lepraria), 134, 225+
Anoectangium (Key to North American species), 48
Anoectangium aestivum, 49; arizonicum, *129*; handelii, 47+*
Anomobryum conicum, 125; julaceum, 125
Antheridia (Bryum dunense), 106+*
Anthoceros, 19+; agrestis, 19+; crispulus, 24; donnellii, *24*; phymatodes, *24*; punctatus, 19+; punctatus α crispulus, 24
Anthocerotophyta, 16+
Anthocerotophyta (fossil), 139+
Anthracocarpon, 537
Apothecia (Protousnea spp.), 7+*
Apothecial anatomy (Gylectaceae), 272+
Appalachian mosses (Pohlia), 178
APTROOT, ANDRÉ. *See* SEAWARD, MARK R. D., 282+
Arabinogalactomannoglucans (Pseudocyphellaria clathrata), 119+
Archegonia (Bryum dunense), 106+*
Argentina (Gomphillus pedersenii sp. nov.), 491+
Argentina (Protousnea), 2+
ARRÓNIZ-CRESPO, MARÍA. *See* NÚÑEZ-OLIVERA, ENCARNACIÓN, 435+
Arthonia patellulata, 61+
Ascoma ontogeny (Gyalectaceae), 272+
Ascomycota (Gyalectaceae), 272+
Ascomycota (Lepraria), 224+
Ascospore measurements (Parmotrema), 404+
Asexual reproduction (Bryum dunense), 104+
Asulam (mosses), 287+
*atp*B-*rbc*L spacer, chloroplast (Jensenia), 206+
Atranorin (Lepraria), 134
Atrichum angustatum, 393+
ATWOOD, JOHN. The Distribution of Buxbaumia minakatae in Pennsylvania and the Lectotypification of B. subcylindrica, 518+
Aulacomnium palustre, 91
AUSTRHEIM, GUNNAR, KRISTIAN HASSEL, and ATLE MYSTERUD. The Role of Life History Traits for Bryophyte Community Patterns in Two Contrasting Alpine Regions, 259+
Austrocedrus chilensis, 108(1) Front cover inset*
Autofluorescence (Blasia pusilla gemmae), 501*
Award, Edward Tuckerman, 480
Award, William S. Sullivant, 480
Awards (International Association of Bryologists), 620

Bacidea marginalis, *483*
Baja California Sur, 520+
Baltic amber, 526+
Baltic amber (Hypnodontopsis), 228+
Bapalmuia marginalis, 483+*
Barbula bogotensis, *219*
Bark pH, 510+
BARTHOLOMEW-BEGAN, SHARON, and NICOLE L. JONES. Juvenile Gametophyte Development in the Blasiales

(Marchantiophyta; Metzgeriidae). 1. Receptacular Gemma/Gemmaling Ontogeny of Blasia pusilla, 497+
BAYEROVÁ, ŠTĚPÁNKA, and KLAUS HAAS. Toensbergianic Acid, a New Aliphatic Diacid from the Genus Lepraria (Ascomycota, Stereocaulaceae), 224+
BAYEROVÁ, ŠTĚPÁNKA, MARTIN KUKWA, and JUDITH FEHRER. A New Species of Lepraria (Lichenized Ascomycetes) from Europe, 131+
Bazzania oleosa, 533
BEAUCOURT, NATHALIE. *See* NÚÑEZ-OLIVERA, ENCARNACIÓN, 435+
Belonia herculina, 273*
BENNETT, JAMES P. and CLIFFORD M. WETMORE. Lichens of the U. S. National Parks, 544+
Biatora vernalis, 61+
BIOCLIM package, 72
Biodiversity, 83
BLACK, MICHAEL and HUGH W. PRITCHARD, EDITORS. Desiccation and Survival in Plants: Drying without Dying [review], 338
Blasia pusilla, 497+*
Blasiaceae (Cavicularia), 420+
Blasiales, 497+
BOLES, SANDRA B. *See* SHAW, A. JONATHAN, 363+
Bonferroni compensation method, 103
Boreal forest (bryophytes), 86+
Boreal rain forest (lichens), 507+
Brachymenium acuminatum, *125*; angolense, 125; capitulatum, 125; globosum, 125; kikuyuense, *127*; philonotula, *127*; preissianum, *127*; pulchrum, 125; systylium, 125
Brachythecium campestre, 61+, 95; salebrosum, 61+; starkei, 95; starkii, 61+
Branching (Protousnea), 5
BREUSS, OTHMAR. A New Species of the Lichen Genus Neocatapyrenium (Verrucariaceae) from North America, 537+
British Columbia (lichens), 427+
Brotherus, Viktor Ferdinand (1849–1929), 346+*
Bryaceae (Imbribryum), 449
Bryaceae (taxonomy and nomenclature), 123+
Bryoerythrophyllum columbianum, 541
Bryogomphus gen. nov., apothecia, 108(4) Front cover, upper inset*, 481+; **caribaeus, comb. nov.**, 483+*
Bryophagus similus, 276*
Bryophyte assemblage, 86+
Bryophyte diversity, 51+
Bryophyte frequencies, 259+
Bryophytes (biology), 554+
Bryophytes (colonizing treefall mounds), 391+
Bryophytes (PKC-like enzyme), 111+
Bryophytes (rare), 554+
Bryophytes (species distribution), 67+
Bryophytes, aquatic, 435+
Bryophytes in fragments (north central Alberta), 56
Bryopsida (Hypnodontopsis), 228+
Bryopsida (Pohlia), 178+
Bryopsida (Syntrichia), 219+m*
Bryoria fremontii, 427+; fuscescens s. lat., 427+; pseudocapillaris, 243+m, 377+; pseudofuscescens, 427+; spiralifera, 244+m, 377+; subcana, 244+m, 377+
Bryum, 127; algovicum, *125+*; alpinum, *125+*, *449*; arachnoideum, 125; archangelicum, *125+*; argenteum, 125; bicolor, 125; bicolor complex, 102; billarderi, 125; bimum, *125*; blandum, *125+*, *449*; caespiticium, 125; capillare, *125*, 236+*; cellulare, 125; coronatum, 127; cyathiphyllum, 125; cyclophyllum, *125+*; donianum, *125*; dunense, 101+*; funkii, 125; gemmiparum, 125; **kikuyuense comb. nov.**, 127; lisae, *125+*; meesioides, *125+*; muehlenbeckii, *449*; orthothecium, **127**; pachytheca, 125; pallens, *125+*; pallescens, *125+*; philonotula, *127*; preissianum, 127; pseudotriquetrum, *125+*; pungens, 127; purpurascens, *125+*; rubens, 289+; uliginosum, *125+*; wrightii, *125+*
BUCK, WILLIAM R., BRUCE H. ALLEN, and RONALD A. PURSELL. Recent Literature on Bryophytes—108(1), 158+
BUCK, WILLIAM R., BRUCE H. ALLEN, and RONALD A. PURSELL. Recent Literature on Bryophytes—108(4), 600+
BUCK, WILLIAM R. Guide to the Plants of Central French Guiana. Part 3. Mosses. Memoirs of the New York Botanical Garden 76 [review], 176
BUCK, WILLIAM R. *See* ALLEN, BRUCE, 324+
BUCK, WILLIAM R. *See* ALLEN, BRUCE, 450+
BUCK, WILLIAM R. *See* LÜCKING, ROBERT, 481+
BÜDEL, BURK. *See* KAUFF, FRANK, 272+
BÜDEL, BURKHARD. *See* SCHULTZ, MATTHIAS, 520+
Bulbils (Bryum dunense), 104+*
BURCH, JANE. *See* ROWNTREE, JENNIFER K., 287+
Buxbaumia, 518+; aphylla, 518+; indusiata, 518; minakatae, 518+; subcylindrica, 518+

Calcium (Marchantia polymorpha), 112+
California (coastal lichens), 241+
California (Didymodon bistratosus), 540+
California mosses (Pohlia), 178
Calopadia turbinata comb. nov., 485
Caloplaca cerina, 61+; holocarpa, 61+
CALVELO, SUSANA, ELFIE STOCKER-WÖRGÖTTER, SANDRA LIBERATORE, and JOHN A. ELIX. Protousnea (Parmeliaceae, Ascomycota), a Genus Endemic to Southern South America, 1
Calymperes duplicatum, 529+*; levyanum, 529+*; lonchophyllum, 529; palisotii, 529+*; smithii, 529+*; sp. 1, 530+*; sp., 535; venezuelanum, 529
Calyptothecium duplicatum, 533+*
CAMPBELL, JOCELYN. *See* GOWARD, TREVOR, 427+
Campylium chrysophyllum, 61+; hispidulum, 61+
Campylopus introflexus, 289+
Campylostelium, 44; pitardii, 44
Canada (cryptogam diversity), 50+
Canada, western (bryophytes), 86+
Candelaria concolor, 61+
Candelariella vitellina, 61+
CANO, MARÍA J. *See* GALLEGO, M. TERESA, 219+
Canonical Correspondence Analysis, 53, 89
Caribaeohypnum polypterum, 535
Caribou, mountain (lichens), 427+
Caribou management (lichens), 427+
Carothers, Zane B. (1924–2005) (memorial), 298+
Cavicularia densa, 420+*
Cell culture (Physcomitrella patens), 28
Cell division (Blasia pusilla), 497+*
Cement amendment (Bryum), 236+
Ceratodon purpureus, 91
CHEN, ZHI-DUAN. *See* LIU, YANG, 591+
Chile (Gomphillus morchelloides), 487+
Chile (Protousnea), 2+
Chlorea malacea syn. nov., *13*; poeppigii, *13*
Cladina subtenuis, 108(1) Front cover*
Cladodium uliginosum, *127*
Classification (hornworts), 16+
CLAYDEN, STEPHEN R. [Review of:] CLERC, PHILIPPE. Les champignons lichénisés de Suisse, 477
Clearfell burn and sow, 69+
CLEAVITT, NATALIE L. Patterns, Hypotheses and Processes in the Biology of Rare Bryophytes, 554+
CLERC, PHILIPPE. Les champignons lichénisés de Suisse [review], 477
Climate (fossil mosses), 535

Cloth-Plate Method, 103
Coarse woody debris, 68+
Coenogoniaceae, 272+
Coenogonium implexum, 273*; luteum, 276*; pineti, 277*; subluteum, 276*
Colorado (Anoectangium handelii), 47+
Colura, 212+
Community patterns, 259+
Competitive ability (rare bryophytes), 559
Conifer stand, midelevation (lichens), 427+
Controlled Smith degradation, 119
CORDEIRO, LUCIMARA MACH CÔRTES, ANDERSON VESALI MONTAI, PHILIP ALBERT JAMES GORIN, and MARCELLO IACOMINI. Polysaccharide Production by the Chlorolichen Pseudocyphellaria clathrata, 118+
COX, CYMON J. *See* SHAW, A. JONATHAN, 363+
CRANDALL-STOTLER, BARBARA. *See* STOTLER, RAYMOND E., 16
CRANDALL-STOTLER, BARBARA J. *See* FORREST, LAURA L., 204+
Cryptogam diversity, 50+
Cryptolechia carneoluta, 273*; subincolorella, 276*
Culture, axenic clonal (Bryum), 237

DALE, MARK R. T. *See* GIGNAC, L. DENNIS, 50+
Database (U.S. national park lichens) 544+
Decay classes (logs), 95
DECODA, 72
DEGUCHI, HIRONORI. *See* SHIMAMURA, MASAKI, 420+
Dendroceros, 139+
Depsides (Protousnea), 3+
Desert (dioicous moss), 101+
Desert (Syntrichia), 183+
Development (mosses) 287+
Diaspore cover (Platismatia norvegica), 509+
Dicksonia antarctica, 72
Dicranella heteromalla, 393+
Dicranites casparyi, *231*; grollei, *231*; obtusifolius, *231*
Dicranum flagellare, 95; fragilifolium 95; fuscescens, 91; scoparium, 108(1) Front cover*
Didymodon anserinocapitatus, 49; australasiae, 541; bistratosus, 540+*m; nicholsonii, 541; rigidulus var. subulatus, 541; vinealis, 541
Differentiation (Physcomitrella patens), 27+
Dioicous moss (desert environment), 108
Diphyscium foliosum, 393+
Disjunct (Anoectangium handelii), 47+
Disjunction (Didymodon bistratosus), 542
Dispersal (bryophytes), 391+
Dispersal (lichens), 427+
Dispersal ability (rare bryophytes), 561
Distance to water (Platismatia norvegica), 510+
Distothelia isthmospora gen. and sp. nov., 284*
Distribution (Lichinella), 569
Distribution (Neocatapyrenium), 539
Divaricatic acid (Protousnea), 1+
Diversity (cryptogams), 50+
Diversity indices (Sphagnum), 194+
DNA analysis (Sphagnum), 196+
DNA extraction (Jensenia), 206
DNA extraction (Microdendron), 592
DNA isolation (Lepraria), 132
DÖBBELER, PETER and GERHARD RAMBOLD (EDITORS). Contributions to Lichenology: Festschrift in Honour of Hannes Hertel [review], 340
DOBSON, FRANK S. A Field Key to Common Churchyard Lichens [review], 478
Dominican amber, 139+; amber, 526+
Dominican Republic (fossil hornwort), 139+
Dominican Republic (fossil bryophytes), 526+

EC_{50} values (mosses), 288+
Ecology (rare bryophytes), 554+
Edge effects, 50+
Editor's annual report for Volume 107 (News and Notes), 343
EGAN, ROBERT S., ROBERT HARMS, and TODD WIDHELM. Studies on the Lichen Parmotrema rigidum s. lat. from North and South America, 402+
Electron microprobe, 132
Electrophoresis (PKC), 112
ELIX, JOHN A. *See* CALVELO, SUSANA, 1
Endangered peat moss (Sphagnum), 194+
Energy dispersive spectrometer, 132
Engler & Prantl's Die Natürlichen Planzenfamilien, 345+
Engler, Adolf, 345+*
Enzymes (bryophytes), 110+
Epiptetygium tozeri, 125
Erioderma sorediatum, 244+m, 377+
ESSLINGER, THEODORE L. Recent Literature on Lichens—196, 142+
ESSLINGER, THEODORE L. Recent Literature on Lichens—197, 301+
ESSLINGER, THEODORE L. Recent Literature on Lichens—198, 459+
ESSLINGER, THEODORE L. Recent Literature on Lichens—199, 608+
Establishment (bryophytes), 391+
Eucalypt forest, 69+
Eucalyptus obliqua, 78+; regnans, 78+
Eurhynchium pulchellum, 61+, 91
Europe (Lepraria), 131+
Evernia magellanica, *11*; mesomorpha, 61+
Evolution, divergent and reticulate (Sphagnum), 363+

Fatty acid (Lepraria), 131+
Feeding experiments (Pleurozia), 213
FEHRER, JUDITH. *See* BAYEROVÁ, ŠTĚPÁNKA, 131+
FERRARO, LIDIA I., and ROBERT LUCKING. The Genus Gomphillus (Ostropales: Gomphillaceae) in the Americas, with the New Species Gomphillus pedersenii from Argentina, 491+
FERRARO, LIDIA I. *See* LÜCKING, ROBERT, 481+
FIM-1 probe, 112
Fissidens cristatus, 108(1) Back cover*; dubious, 108(1) Back cover*
Flavoparmelia caperata, 547+m
Floristic Habitat Sampling, 88
Flowcytometric analysis, 28
Fluorescent probe (FIM-1), 112
Fontinalis antipyretica, 435+
Forest age (bryophytes), 67+
Forest fragmentation, 50+
Forests, late-seral and federally protected (coastal lichens), 241+
FORREST, LAURA L., SCOTT W. SCHUETTE, BARBARA J. CRANDALL-STOTLER, and RAYMOND E. STOTLER. A Molecular Study of the Simple Thalloid Liverwort Jensenia (Marchantiophyta, Pallaviciniaceae), 204+
Fossil bryophytes, 526+
Fossil hornwort, 139+*
Fragment size (forest), 50+
FRAHM, JAN-PETER. The First Record of a Fossil Hornwort (Anthocerotophyta) from Dominican Amber, 139+
FRAHM, JAN-PETER. The Genus Hypnodontopsis (Bryopsida, Rhachitheciaceae) in Baltic And Saxon Amber, 228+
FRAHM, JAN-PETER, and ANGELA E. NEWTON. A New Contribution to the Moss Flora of Dominican Amber, 526+
FRAHM, JAN-PETER. *See* HESS, SEBASTIAN, 212+

FURUKI, TATSUWO. *See* SHIMAMURA, MASAKI, 420+
Fuscopannaria convexa sp. nov., 255+*; **labrata sp. nov.**, 257+*; laceratula, 256

Galactoglucomannans (Pseudocyphellaria clathrata), 119+
GALLEGO, M. TERESA, MARÍA J. CANO, and CECILIA SÉRGIO. Syntrichia bogotensis (Bryopsida, Pottiaceae) New for Macaronesia, 219+
Gametophore morphology (Physcomitrella patens), 33
Gametophyte development (Blasia pusilla), 497+*
Gas liquid chromatography-mass spectrometry (GC-MS), 118
GEISER, LINDA H. *See* GLAVICH, DOUG A., 241+
GEISER, LINDA H. *See* GLAVICH, DOUG A., 377+
Gemma (Blasia pusilla), 497+*
Gemma receptacle (Blasia pusilla), 499+*
Gemma/gemmaling ontogeny, 497+*
Gemmae (Pohlia), 180+*
Gemmaling (Blasia pusilla), 497+*
Gene pool-niche interaction, 558
Generative cell formation, 503
Genetic potential (rare bryophytes), 558
Genetic structure (Sphagnum), 194+
Genomic sequencing (Sphagnum), 365+
GIGNAC, L. DENNIS, and MARK R. T. DALE. Effects of Fragment Size and Habitat Heterogeneity on Cryptogam Diversity in the Low-boreal Forest of Western Canada, 50+
GLAVICH, DOUG A., LINDA H. GEISER, and ALEXANDER G. MIKULIN. Rare Epiphytic Coastal Lichen Habitats, Modeling, and Management in the Pacific Northwest, 377+
GLAVICH, DOUG A., LINDA H. GEISER, and ALEXANDER G. MIKULIN. The Distribution of Some Rare Coastal Lichens in the Pacific Northwest and Their Association with Late-seral and Federally-protected Forests, 241+
GOFFINET, Bernard. *See* LÜTH, MICHAEL, 415+
Gomphillaceae, 481+
Gomphillus (key to species), 493
Gomphillus, 481+, 491+; americanus, 489, 491+m; calycioides, 483+*, 493+m; caribaeus, *481+*; morchelloides, 493+m; **morchelloides sp. nov.**, 487+*; ophiosporus, 483+*, 493+m; **pedersenii sp. nov.**, 491+*m, 108(4) Front cover, upper inset*
Gonohymenia, 567; melamphylla, *568*; minnesotensis, *568*; myriospora, *582*
GORIN, PHILIP ALBERT JAMES. *See* CORDEIRO, LUCIMARA MACH CÔRTES, 118+
GOWARD, TREVOR and JOCELYN CAMPBELL. Arboreal Hair Lichens in a Young, Mid-elevation Conifer Stand, with Implications for the Management of Mountain Caribou, 427+
Great Discoveries in Bryology and Lichenology. Viktor Ferdinand Brotherus (1849–1929) and Musci in Engler & Prantl's Die Natürlichen Planzenfamilien, 345+
Great Discoveries in Bryology and Lichenology. In the Footsteps of Lantzius-Beninga: Investigating the Peristome Characters of Mosses, 36+
Great Smoky Mountains (Leioderma), 412+
Green Spectrum Brightness Values, 112
Grimmia affinis, *40*; arenaria, 41; atrata, 43+*; capillata, *43*; commutata, *41*; crinita, 43*; crinita var. capillata, *43*; crinita var. elongata, 43*; donniana, 41+*; elongata, 41+*; incurva, 41+*; longirostris, 41+*; ovalis, 40+*; ovata, *41*; pitardii, *44*; plagiopodia, 37*; triformis, 41
Growth (mosses), 287+
GUNNARSSON, URBAN, KRISTIAN HASSEL, and LARS SÖDERSTRÖM. Genetic Structure of the Endangered Peat Moss Sphagnum angermanicum in Sweden: A Result of Historic or Contemporary Processes? 194+
Gyalecta jenensis, 276*; ulmi, 273+*
Gyalectaceae, 272+
Gyalectidium floridense sp. nov., 295+*
Gymnostomum aeruginosum, 47, 129

HAAS, KLAUS. *See* BAYEROVÁ, ŠTĚPÁNKA, 224+
Habitat (bryophytes), 86+
Habitat (suboceanic lichen), 506+
Habitat heterogeneity, 50+
Habitat selection, 558
Habitat tolerances (rare bryophytes), 559
Habitats (core and fringe), 506+
Hair lichen biomass, 427+
HANSON, DAVID T. [Review of:] BLACK, MICHAEL and HUGH W. PRITCHARD, EDITORS. Desiccation and Survival in Plants: Drying without Dying, 338
Haplocladium microphyllum, 61+
Haplodontium megalocarpum, 125; reticulatum, 125
Hardwood forests, northern (bryophytes), 391+
HARMS, ROBERT. *See* EGAN, ROBERT S., 402+
HASSEL, KRISTIAN. *See* AUSTREHEIM, GUNNAR, 259+
HASSEL, KRISTIAN. *See* GUNNARSSON, URBAN, 194+
Hattori Prize, 620
HEDENÄS, LARS. Amblystegiaceae [review], 339
HEDENÄS, LARS. *See* PEDERSEN, NIKLAS, 123+
Hedwig (1730–1799), 36+
Hedwig Medal, 620
Hepatics (fossil), 535
Herbicide (mosses), 287+
HERRNSTADT, ILANA, and GIORA J. KIDRON. Reproductive Strategies of Bryum dunense in Three Microhabitats in the Negev Desert, 101+
HESS, SEBASTIAN, JAN-PETER FRAHM, and INGE THEISEN. Evidence of Zoophagy in a Second Liverwort Species, Pleurozia purpurea, 212+
Heterodermia leucomela, 246+m, 377+
HEYN, CHAIA CLARA and ILANA HERRNSTADT (EDITORS). The Bryophyte Flora of Israel and Adjacent Regions [review], 478+
High plains morphotype (Molendoa ogalalensis), 129
Higher aliphatic acids (Lepraria), 137
Hildebrandtiella guyanensis, 533
HILMO, OLGA. *See* LIDÉN, MARLENE, 506+
HOHE, ANNETTE. *See* SCHWEEN, GABRIELE, 27+
Hong Kong lichens, 282+
Hornwort (fossil), 139+*
Hornworts (Checklist for North America, north of Mexico), 16+
Howard Crum Bryological Workshop, 480*
HPLC chromatograms (Protousnea spp.), 8+*
Humidity (lichen), 513+
Hylocomium splendens, 61+, 91
Hymenea spp. (amber), 526
Hyperepiphytism (Platismatia norvegica), 509+
Hyphophores (Gomphillus pedersenii), 108(4) Front cover, upper inset*, 492+*
Hypnaceae (fossil), 533
Hypnales (Orthothecium), 406+
Hypnodontopsis, 228+; casparyi, 231+*; conferta, *232*; fossilis, 232*; lingulata, 232*; mexicana, 232*, 535; pilifer, 234*; physodes, 61+; revoluta, 246+m, 377+

IACOMINI, MARCELLO. *See* CORDEIRO, LUCIMARA MACH CÔRTES, 118+
Imbribryum gen. nov., 127, 449; **alpinum comb. nov.**, 128, 449; **blandum comb. nov.**, 128, 449; **muehlenbeckii comb. nov.**, 128, 449
Indicator Species Analysis, 53, 89

Inter simple sequence repeats (Sphagnum), 194+
ISSR (Sphagnum), 194+
ITS (Sphagnum), 368+
ITS sequencing (Lepraria), 131+
I-wet (lichen), 513+

Jackinic acid (Lepraria), 134, 225+
Jamesoniella autumnalis, 91
Jensenia, 204+; connivens, 205+; decipiens, 205+; difformis, 205+; spinosa, 205+; wallisii, 205+
JIA, YU. *See* LIU, YANG, 591+
JIMÉNEZ, JUAN ANTONIO. *See* ZANDER, RICHARD H., 540+
JONES, NICOLE L. *See* BARTHOLOMEW-BEGAN, SHARON, 497+
JØRGENSEN, PER M. Additions to the Pannariaceae of North America, 255+
JØRGENSEN, PER MAGNUS and TOR TØNSBERG. Leioderma cherokeense (Pannariaceae, Lecanorales) sp. nov. from the Great Smoky Mountains, North Carolina, U.S.A., 412+
Jungermannia exsertifolia subsp. Cordifolia, 435+

Kansas (Molendoa ogalalensis), 129
KAUFF, FRANK and BURKHARD BÜDEL. Ascoma Ontogeny and Apothecial Anatomy in the Gyalectaceae (Ostropales, Ascomycota) Support the Re-establishment of the Coenogoniaceae, 272+
KELLY, DANIEL L. [Review of:] BUCK, WILLIAM R. Guide to the Plants of Central French Guiana. Part 3. Mosses. Memoirs of the New York Botanical Garden 76, 176
Key (Extant and Extinct Species of Hypnodontopsis), 231
Key (Fuscopannaria), 255
Key (Lepraria species in Europe containing only fatty acids and atranorin), 136
Key (Madeiran taxa of Syntrichia), 222
Key (Neotropical species of Gyalectidium with areolate thallus), 296+
Key (Protousnea), 8
Key (Species of Gomphillus), 493
Key (Species of Lichinella), 588+
Key (Species of Phloeopeccania known from North America and northern Mexico), 525
Key to North American Anoectangium species, 48
KIDRON, GIORA J. *See* HERRNSTADT, ILANA, 101+
KIMMERER, ROBIN WALL. Patterns of Dispersal and Establishment of Bryophytes Colonizing Natural and Experimental Treefall Mounds in Northern Hardwood Forests, 391+
KNUDSEN, KERRY. [Review of:] POPE, RALPH. Lichens Above Treeline: A Hiker's Guide to Alpine Zone Lichens of the Northeastern United States, 619+
KNUDSEN, KERRY. [Review of:] SHOWMAN, RAY E. and DON G. FLENNIKEN. The Macrolichens of Ohio, 341
KOPONEN, TIMO. Viktor Ferdinand Brotherus (1849–1929) and Musci in Engler & Prantl's Die Natürlichen Planzenfamilien, 345+
KUKWA, MARTIN. *See* BAYEROVÁ, ŠTĚPÁNKA, 131+

LAGRECA, SCOTT. [Review of:] ZEDDA, LUCIANA. The Epiphytic Lichens on Quercus in Sardinia (Italy) and Their Value as Ecological Indicators, 341+
Lantzius-Beninga, Bojung Scato Georg, 36+
Leaf Wetness sensors, 103
Lecanorales (Leioderma), 412+
Lecidea turbinata, *485*
Leioderma cherokeense sp. nov., 412+*m; sorediatum, 247+m, 377+
Leiosporocerotopsida classis nov., 24
Lepraria (Europe), 131+
Lepraria (maximum likelihood tree), 136*
Lepraria atlantica, 135; borealis, 136; jackii, 131+; rigidula, 131+; species in Europe containing only fatty acids and atranorin (Key), 136; toensbergiania, 224+; **toensbergiana sp. nov.**, 131+*m
Leptobryum pyriforme, 91
Leptogium brebissonii, 247+m, 377+
Leptostomum macrocarpum, 125
Letharia divaricata, *11*; divaricata var. scrobiculata, *13*; poeppigii, *13*; vulpina, 547+m
Leucobryum crispum, 527; incurvifolium, 527; polakowskyi, 527; spp. (fossil mosses), 527+*; subobtusifolium, 527
Leucolejeunea antiqua, 533; sp., 533
LIBERATORE, SANDRA. *See* CALVELO, SUSANA, 1
Lichen (Gyalectidium), 295+
Lichen distribution (U.S. national parks), 547+
Lichen diversity, 51+
Lichen Flora of the Greater Sonoran Desert Region, 568+
Lichen habitats, rare epiphytic coastal, 377+
Lichen species by state (U.S.), 546m
Lichens (U.S. national parks), 544+m
Lichens in fragments (north central Alberta), 58
Lichens, arboreal hair, 427+
Lichens, coastal, 241+
Lichinella (Key to the Species), 588+
Lichinella, 567+; americana, 568+*m; cribellifera, 568+*m; flexa, 568+*m; **granulosa sp. nov.**, 567+*m; intermedia, 568+*m; iodopulchra, 568+*m; melamphylla, 568+; minnesotensis, 568+*m; **myriospora comb. nov.**, 568+*m; nigritella, 568+*m; robustoides, 568+*m; sinaica, 568+*m; stipatula, 568+*
LIDÉN, MARLENE, and OLGA HILMO. Population Characteristics of the Suboceanic Lichen Platismatia norvegica in Core and Fringe Habitats: Relations to Macroclimate, Substrate, and Proximity to Streams, 506+
Life history strategies (rare bryophytes), 557
Life history traits, 259+
Light intensity (Protousnea), 8
Limpricht, 40
List (Bryophyte species in study of life history traits), 268+
List (Hong Kong lichens collected on expedition), 283+
List (Hornworts of North America, North of Mexico), 21+
List (Lichen species in 40 or more national park units), 547+
List (Mosses from Dominican amber), 534+
List (Species occurrence in sampled microsites), 90
List of bryophytes found on one substrate type, 74
List of bryophytes only on horizontal substrate types, 77
List of bryophytes only on vertical substrate types, 78
List of substrate types (bryophytes), 70
List of substrate-age classes and bryophyte species, 80+
LIU, YANG, YU JIA, WEI WANG, ZHI-DUAN CHEN, and YIN-LONG QIU. A Taxonomic Reassessment of Microdendron Inferred from Molecular and Morphological Evidence, 591+
Liverwort (Pleurozia), 212+
Liverwort, thalloid (Jensenia), 204+
Liverworts (Dominican amber), 535
Log decay classes, 95
Logistic regression models (lichens), 381+
Lopadium turbinatum, *485*
Lophocolea heterophylla, 95
Lophozia ascendens, 95; longidens, 95; spp., 95
Low-boreal forest (western Canada), 50+m
LSU, nuclear (Jensenia), 206+
LÜCKING, ROBERT, and EMMANUËL SÉRUSIAUX. Gomphillus morchelloides (Ostropales: Gomphillaceae), A New

Lichen Species from Chile and Papua New Guinea, 487+
LÜCKING, ROBERT, WILLIAM R. BUCK, EMMANUËL SÉRUSIAUX, and LIDIA I. FERRARO. Gomphillus caribaeus Belongs in the New Genus Bryogomphus (Lecanorales: Pilocarpaceae), 481+
LÜCKING, ROBERT. *See* FERRARO, LIDIA I., 491+
LÜCKING, ROBERT. *See* SAFRANEK, WILLIAM W., 295+
LÜTH, MICHAEL and GOFFINET, BERNARD. Splachnum pensylvanicum (Splachnaceae) is Recorded from the Southern Hemisphere, 415+

Macaronesia (Syntrichia), 219+
MACDONALD, S. ELLEN. *See* MILLS, SUZANNE E., 86+
Macroclimate (Platismatia norvegica), 506+
Madeira (Syntrichia), 219+
MAIER, EVA, and MICHELLE J. PRICE. Great Discoveries in Bryology and Lichenology. In the Footsteps of Lantzius-Beninga: Investigating the Peristome Characters of Mosses, 36+
Male rarity (Syntrichia), 189+
Management (lichens), 377+
MARAVOLO, NICHOLAS C. *See* SEAMAN, JUSTIN J., 110+
Marchantia polymorpha, 110+
Marchantiophyta (Jensenia), 204+
MARTÍNEZ-ABAIGAR, JAVIER. *See* NÚÑEZ-OLIVERA, ENCARNACIÓN, 435+
Mass spectra (Lepraria), 225
MCLETCHIE, D. NICHOLAS. *See* STARK, LLOYD R., 183+
Mediterranean Europe (Didymodon bistratosus), 540+
Megaceros, 139+
Megacerotoideae subfam. nov., 24
Meilichhoferia himalayana, 125
Melanelia albertana, 61+
Melanic pigmentation (Platismatia norvegica), 509+
MELOSIK, IWONA. *See* SHAW, A. JONATHAN, 363+
Mesosite scale (bryophytes), 87+
Metapopulation dynamics, 558
Metzgeriidae, 497+
Mexico (Lichinella), 567+
Mexico (Molendoa ogalalensis), 129
Mexico (Phloeopeccania anemoides) , 520+
Microclimatic variables (forest fragments), 53+
Microdendron, 591+; sinense, 592+
Microenvironmental variation (bryophytes), 87+
Microhabitat (Anoectangium handelii), 47+
Microhabitats (moss), 101+
Microscope (history), 37
Microsite (bryophytes), 87+
Microsite quality (Platismatia norvegica), 512+
Middle Asia (Anoectangium handelii), 47+
MIKULIN, ALEXANDER G. *See* GLAVICH, DOUG A., 241+
MIKULIN, ALEXANDER G. *See* GLAVICH, DOUG A., 377+
MILLS, SUZANNE E. and S. ELLEN MACDONALD. Factors Influencing Bryophyte Assemblage at Different Scales in the Western Canadian Boreal Forest, 86+
MISHLER, BRENT D. *See* STARK, LLOYD R., 183+
Mniaceae (Pohlia), 178+
Mniomalia viridis, 532+*
Mnium bimum, *125*; cyclophyllum, *127*; hornum, 125; pseudotriquetrum, *127*
Modeling (lichens), 377+
Molecular evidence (Microdendron), 591+
Molecular phylogeny (Lepraria), 135+
Molecular study (Jensenia), 204+
Molendoa ogalalensis, 129; sendtneriana, 47, 129
Monosaccharide composition (Pseudocyphellaria clathrata), 119+
MONTAI, ANDERSON VESALI. *See* CORDEIRO, LUCIMARA MACH CÔRTES, 118+
Morchella, 488
Morphological characteristics (Platismatia norvegica), 507+
Morphological evidence (Microdendron), 591+
Moss fossil distributions, 535
Moss fossils in Dominican amber, 526+
Moss growth, 108
Moss transformants, 35
Mosses (peristome), 36+
Mosses from Dominican amber (list), 534+
MUELLER, ROSS E. *See* SEAMAN, JUSTIN J., 110+
Muscicolous growth (Bryogomphus), 483
Muscites confertus, *232*
MYSTERUD, ALTE. *See* AUSTRHEIM, GUNNAR, 259+

nad5, mitochondrial (Jensenia), 206+
National park units (U.S.), 544+
Natürlichen Planzenfamilien, Die 345+*
Nebraska (Molendoa ogalalensis), 129
Neckera sp., 533
Necrotic tissue (Platismatia norvegica), 509+
Negev Desert (Bryum dunense), 101+
Neighbor-joining analyses (Sphagnum), 369+
Neocatapyrenium, 537+; cladonioideum, 537+; **disparatum sp. nov.**, 537+*; latzelii, 537+; radicescens, 537+; rhizinosum, 537+
Nephrosteranic acid (Lepraria), 134, 225+
Neuropogon poeppigii, *13*
New World (Anoectangium), 49
New World (Didymodon bistratosus), 540+
News and Notes, 620
NEWTON, ANGELA E. *See* FRAHM, JAN-PETER, 526+
Niebla cephalota, 248+m, cephalota, 377+
Nizzana sand dunes, 102*m
Nodobryoria oregana, 427+
Nomenclature (Bryaceae), 123+
Nonmetric Multidimensional Scaling (NMDS), 71, 88
Norjackinic acid (Lepraria), 225+
Norrangiformic acid (Lepraria), 225+
Norstictic acid (Lepraria), 134
North America (Anoectangium), 47+
North America (hornworts), 16
North America (Neocatapyrenium), 537+
North America (Pannariaceae), 255+
North American lichen checklist, 545+
North Carolina (Leioderma), 412+
North Pacific Exploring Expedition, 282+
Norway (lichen habitat), 507+
NPL database, 544+
NPLichen database, 544+
NÚÑEZ-OLIVERA, ENCARNACIÓN, MARÍA ARRÓNIZ-CRESPO, JAVIER MARTINEZ-ABAIGAR, RAFAEL TOMÁS, and NATHALIE BEAUCOURT. Assessing the UV-B Tolerance of Sun and Shade Samples of Two Aquatic Bryophytes Using Short-term Tests, 435+

Oceanic habitats (lichens), 507+m
Octoblepharum albidum, 529; cf. cylindricum, 529+*; cf. pulvinatum, 529+*; cocuiense, 529; cylindricum, 529; pellucidum, 529; pulvinatum, 529; sp., 535; stramineum, 529
Old growth mixed forest, 69+
Oncophorus wahlenbergii, 61+, 95
Ontogeny (Blasia pusilla gemmae), 497+
Oreas mexicana, *232*
Oregon (coastal lichens), 241+
ORTH, TRAVIS L. *See* SEAMAN, JUSTIN J., 110+
Orthostichella pentasticha, 533; sp., 533+*
Orthostichopsis praetermissa, 533+*; tenuis, 533
Orthothecium hyalopiliferum, 406+; intricatum, 406+

Orthotrichum elegans, 61+; obtusifolium, 61+
Ostropales (Gyalectaceae), 272+
Ozobryum, 129

Pachyphiale fagicola, 276*
Pacific Northwest (coastal lichens), 241+m
Pacific Northwest (lichens), 377+
Pallavicinia lyellia, 205+; rubristipa, 205+; xiphoides, 205+
Pallaviciniaceae (Jensenia), 204+
Pannaria crossophylla, *258*; rubiginella, 257; rubiginosa, 248+m, 377+
Pannariaceae, 255+
Pannariaceae (Leioderma), 412+
Papua New Guinea (Gomphillus morchelloides), 487+
Parasite infection (Platismatia norvegica), 509+
Parmelia sulcata, 61+
Parmotrema rigidum s. lat., 402+*; **subrigidum sp. nov.**, 404+
Parsimony analyses (Sphagnum), 365+
Patagonia (Protousnea), 2m
Patch transects (Syntrichia), 185
Patterns (rarity), 554+
Paulia, 521; myriocarpa, 521
PC-ORD, 53, 88
PCR (Lepraria), 132
PCR amplification (Microdendron), 592
PEDERSEN, NIKLAS, and LARS HEDENÄS. Taxonomic and Nomenclatural Implications of Phylogenetic Studies of the Bryaceae Based on Molecular Data and Morphology, 123+
PEDERSEN, NIKLAS. [Review of:] HEDENÄS, LARS. Amblystegiaceae, 339
PEDERSON, NIKLAS. Validation of Imbribryum (Bryaceae), 449
Peltigera canina, 61+; neoplydactyla, 61+
Pennsylvania (Buxbaumia minakatae), 518+
Peristome, 36+
Peristome teeth, 38+*
Peristome-capsule longitudinal sections, 39+
PETERSEN, RAYMOND L. *See* SMAW, SHERCODA G., 236+
Phaeoceros, 19+; bulbiculosus, 24+; carolinianus, 24; **donnellii comb. nov.**, 24; hallii, 24; laevis, 19; mohrii, 24; oreganus, 24
Phaeophyscia adscendens, 61+
PHARO, EMMA J. *See* TURNER, PERPETUA A. M., 67+
Phenol-sulfur method, 118
Phenotypic deviation (Physcomitrella patens), 27+*
Philibert, Henri, 39
Phloeopeccania (Key to the Species known from North America and northern Mexico), 525
Phloeopeccania anemoides sp. nov., 520+*; australiensis, 520+; hispanica, 520+; major Henssen ined., 520+*; pulvinulina, 520+*
Photosynthetic Photon Flux Density, 88
Phylliscum, 521
Phylogenetic analyses (Microdendron), 592+
Phylogenetic analyses (Sphagnum), 365+
Phylogenetic analysis (Anthocerotophyta), 16+
Phylogenetic analysis (Splachnum), 415+
Phylogenetic studies (Bryaceae), 123+
Phylogram (Jensenia), 208
Physcia aipolia, 61+, 547+m
Physcomitrella patens, 27+*
Physiological variables (aquatic bryophytes), 435+
Picea glauca, 87; mariana, 87
Pilocarpaceae, 481+
Pilotrichella, 533
Plagiobryum, 124+; **algovicum comb. nov.**, 125; **archangelicum comb. nov.**, 125; **bimum comb. nov.**, 125; **capillare comb. nov.**, 125; **cyclophyllum comb. nov.**, 127; **donianum comb. nov.**, 127; **lisae comb. nov.**, 127; **meesioides comb. nov.**, 127; **orthothecium comb. nov.**, 127; **pallens comb. nov.**, 127; **pallescens comb. nov.**, 127; **pseudotriquetrum comb. nov.**, 127; **purpurascens comb. nov.**, 127; **uliginosum comb. nov.**, 127; **wrigthii comb. nov.**, 127; zieri, 125
Plagiomnium cf. rhynchophorum, 532+*; cuspidatum, 61+; ellipticum, 91
Plagiothecium denticulatum, 95
Plant Size (Syntrichia), 183+
Platismatia norvegica populations, 506+
Pleurozia purpurea, 212+*
Pleurozium schreberi, 61+, 91
Ploidy (Physcomitrella patens), 27+
Podomitrium phyllanthus, 205+
Pogonatum, 591+; (Microdendron) sinense, 593*; (Microdendron) sinense distribution, 592m; pensylvanicum, 393+; sinense, 598
Pohlia cruda, 125; nutans, 91; purpurascens, *127*; **rabunbaldensis sp. nov.**, 178+*; robertsonii, 108(2) Front Cover*; **robertsonii sp. nov.**, 178+*
Polyamines, 111+
Polysaccharide production (lichen), 118+
Polytrichaceae, 591+
Polytrichaceae (*trn*L-F region alignment), 596*
Polytrichum commune, 108(1) Front cover*; formosum, 290+; juniperinum, 108(1) Front cover*; ohioense, 393+
POPE, RALPH. Lichens Above Treeline: A Hiker's Guide to Alpine Zone Lichens of the Northeastern United States [review], 619+
Population characteristics (Platismatia norvegica), 506+
Population genetics (Sphagnum), 365+
Populus tremuloides, 87
Pottiaceae (Syntrichia), 219+
Precipitation (measurement), 103
PRICE, MICHELLE J. *See* MAIER, EVA, 36+
Principal components analyses (aquatic bryophytes), 435+
Programmed cell death, 110+
Protein extraction (Marchantia polymorpha), 112
Protein kinase C, 110+
Protein kinase C-like enzyme, 110+
Proterendothrix scolecoidea, 49
Protonemata (Bryum dunense), 105+*
Protonemata (herbicide), 287+
Protonematal growth (Bryum), 236+
Protousnea (Key to the species), 8
Protousnea, 1+; alectoroides, 2+; dusenii, 2+*; fibrillata, 4+*; fribrillata, 2; magellanica, 108(1) Front cover inset*, 1+*; malacea, *2+*; malacea-P. poeppigii-P. scrobiculata complex, 11+; poeppigii, 2+*; scrobiculata, *2+*; teretiuscula, 2+*
Proximity to streams (Platismatia norvegica), 506+
*psb*A, chloroplast (Jensenia), 206+
Pseudocyphellaria aurata (galactoglucomannan), 121; clathrata, 118+; perpetua, 249+m, 377+
Psoroma hirsutulum, 257+; tenue var. boreale, 258
Psorotichia myriospora, *582*
Ptilidium pulcherrimum, 91
Ptilium crista-castrensis, 91
PURSELL, RONALD A. *See* ALLEN, BRUCE, 324+
PURSELL, RONALD A. *See* ALLEN, BRUCE, 450+
PURSELL, RONALD A. *See* BUCK, WILLIAM R., 158+
PURSELL, RONALD A. *See* BUCK, WILLIAM R., 600+
Putrescine (Marchantia polymorpha), 114
Pylaisiella polyantha, 61+, 91

Pyrrhospora chlororphnia comb. nov., 285; quernea, 249+m, 377+

QIU, YIN-LONG. *See* LIU, YANG, 591+
Quadrant formation, 503

Rain amendment (Bryum), 236+
Ramalina pollinaria, 249+m, 377+
Rangifer tarandus caribou, 427+
Rangiformic acid (Lepraria), 225+
RapdA (Sphagnum), 368+
RapdB (Sphagnum), 368+
RapdF (Sphagnum), 368+
Rare bryophytes (biology), 554+
Rarity theory, 554+
Raunakier's law of frequency, 554
*rbc*L (Microdendron), 591+
*rbc*L, chloroplast (Jensenia), 206+
Recent Literature on Bryophytes—108(1), 158+
Recent Literature on Bryophytes—108(2), 324+
Recent Literature on Bryophytes—108(3), 450+
Recent Literature on Bryophytes—108(4), 600+
Recent Literature on Lichens—196, 142+
Recent Literature on Lichens—197, 301+
Recent Literature on Lichens—198, 459+
Recent Literature on Lichens—199, 608+
Receptacular gemma/gemmaling ontogeny, 497+
REDFEARN, PAUL L., JR. and BRUCE ALLEN. A Re-examination of Orthothecium hyalopiliferum (Hypnales), 406+
Redundancy Analysis, 89
Reproduction and establishment (rare bryophytes), 562
Reproductive strategies (Bryum dunense), 101+
RESKE, RALF. *See* SCHWEEN, GABRIELE, 27+
Resource breadth, 558
Responsibility environments, 506+
Restoration of fringe populations (lichens), 515
Reviewers of Manuscripts Submitted During 2004, 344
Rhachitheciaceae (Hypnodontopsis), 228+
Rhodobryum giganteum, 125; keniae, 125; spathulatum, 125; umbraculum, 125
Rhytidocaulon poeppigii, *13*
Riccardia latifrons, 95
RICHARDSON, DAVID H. [Review of:] DOBSON, FRANK S. A Field Key to Common Churchyard Lichens, 478
Roccellic acid (Lepraria), 132+, 225+
ROWNTREE, JENNIFER K., ELIZABETH SHEFFIELD, and JANE BURCH. Growth and Development of Mosses are Inhibited by the Common Herbicide Asulam, 287+
*rps*4, chloroplast (Jensenia), 206+
RUSHING, ANN E. *See* STOTLER, RAYMOND E., 298+

SAFRANEK, WILLIAM W. and ROBERT LÜCKING. Gyalectidium floridense, a New Foliicolous Lichen From the Southeastern United States, 295+
SAGAR, TARJA. *See* ZANDER, RICHARD H., 540+
Sanionia uncinata, 61+
Santessoniella crossophylla comb. nov., 258
SARGENT, MALCOLM L. *See* STOTLER, RAYMOND E., 298+
Saxon amber (Hypnodontopsis), 228+
Scales, spatial, 86+
Scandinavia (lichen habitat), 507+
Scanning electron microscopy (Blasia), 497
Scanning electron microscopy (Lepraria), 132+
SCHUETTE, SCOTT W. *See* FORREST, LAURA L., 204+
SCHULTE, JULIA. *See* SCHWEEN, GABRIELE, 27+
SCHULTZ, MATTHIAS, and BURKHARD BÜDEL. Phloeopeccania anemoides, a New Lichen Species from Baja California Sur and Sinaloa, Mexico, 520+
SCHWEEN, GABRIELE, JULIA SCHULTE, RALF RESKE, and ANNETTE HOHE. Effect of Ploidy Level on Growth, Differentiation, and Morphology in Physcomitrella patens, 27+
Science Citation Index for The Bryologist (News and Notes), 343
Scleropyrenium, 537
SEAMAN, JUSTIN J., TRAVIS L. ORTH, ROSS E. MUELLER, and NICHOLAS C. MARAVOLO. The Influence of Spermine on the Activity of a Protein Kinase C-like Enzyme in Marchantia polymorpha Thalli During Programmed Cell Death, 110+
SEAWARD, MARK R. D. AND ANDRÉ APTROOT. Hong Kong Lichens Collected on the United States North Pacific Exploring Expedition, 1853–1856, 282+
Sectioning (capsule-peristome), 40
Sekikaic acid (Protousnea), 3+
Senescence (Marchantia polymorpha), 111+
Sequence data (Splachnum), 415+
Sequencing (Microdendron), 592
SÉRGIO, CECILIA. *See* GALLEGO, M. TERESA, 219+
SÉRUSIAUX, EMMANUËL. *See* LÜCKING, ROBERT, 481+
Set-aside protection (lichens), 515
Sex expression (Syntrichia), 183+
Sex ratios (Syntrichia), 183+
Sexual reproduction (Bryum dunense), 106+
Shape index, 53
SHAW, A. JONATHAN, IWONA MELOSIK, CYMON J. COX, and SANDRA B. BOLES. Divergent and Reticulate Evolution in Closely Related Species of Sphagnum Section Subsecunda, 363+
SHAW, A. JONATHAN. *See* SHEVOCK, JAMES, 178+
Shaw, Jon, 620
SHEFFIELD, ELIZABETH. *See* ROWNTREE, JENNIFER K., 287+
SHEVOCK, JAMES R., and A. JONATHAN SHAW. Pohlia robertsonii and P. rabunbaldensis (Bryopsida, Mniaceae), Two New Species from the Western and Eastern United States, 178+
SHIMAMURA, MASAKI, TATSUWO FURUKI, and HIRONORI DEGUCHI. Sporophyte Anatomy of Cavicularia densa (Blasiaceae), 420+
SHOWMAN, RAY E. and DON G. FLENNIKEN. The Macrolichens of Ohio [review], 341
Simpson's heterogeneity index, 53
Sinai dune field, 102m
Sinaloa (Mexico), 520+
SMAW, SHERCODA G., and RAYMOND L. PETERSEN. Effects of Simulated Rain and Cement Amendments on Protonematal Growth of the Urban Moss, Bryum capillare, in Culture, 236+
Smithsonian Institution (fossil bryophytes), 527
SØDERSTRØM, LARS. *See* GUNNARSSON, URBAN, 194+
Sonoran Desert Lichen Flora Project, 520
Soredial deposits (Lepraria toensbergiana), 133*
South America (Protousnea), 1
Southern Hemisphere (Splachnum), 415+
Spatial scales, 86+
Spatial segregation of the sexes (Syntrichia), 183+
Species assemblage (bryophytes), 87+
Species distribution (bryophytes), 67+
Species richness (forest fragments), 54+
Species-substrate type association (bryophytes), 73+
Spermidine (Marchantia polymorpha), 114
Spermine, 110+
Sphagnum angermanicum, 194+m; denticulatum, 363+; inundatum, 363+; lescurii, 363+; sect. Subsecunda, 108(3) Front Cover; Section Subsecunda, 363+; subsecundum, 363+; warnstorfii, 95
Splachnaceae (Splachnum), 415+
Splachnum pensylvanicum, 415+*
Spore sac (moss), 37

Sporeling development (Blasia pusilla), 503
Sporogenesis (Cavicularia), 420+*
Sporophyte anatomy (Cavicularia), 420+*
Sporophyte induction (Physcomitrella patens), 34
Sporophyte production (Bryum dunense), 106+
Sporophyte production (rare bryophytes), 556
Sporopodium, 483
Stand scale (bryophytes), 87+
STARK, LLOYD, R., D. NICHOLAS MCLETCHIE, and BRENT D. MISHLER. Sex Expression, Plant Size, and Spatial Segregation of the Sexes Across a Stress Gradient in the Desert Moss Syntrichia caninervis, 183+
Stereocaulaceae (Lepraria), 224+
STOCKER-WÖRGÖTTER, ELFIE. *See* CALVELO, SUSANA, 1
STOTLER, RAYMOND E. *See* FORREST, LAURA L., 204+
STOTLER, RAYMOND E., and BARBARA CRANDALL-STOTLER. A Revised Classification of the Anthocerotophyta and a Checklist of the Hornworts of North America, North of Mexico, 16+
STOTLER, RAYMOND E., MALCOLM L. SARGENT, and ANN E. RUSHING. Zane B. Carothers (1924–2005), 298+
Stress gradient (Syntrichia), 183+
Subdivaricatic acid (Protousnea), 7+
Suboceanic habitats (lichens), 506+m
Subsekikaic acid (Protousnea), 1+
Substrate (Platismatia norvegica), 506+
Substrate preference (Protousnea), 3+
Substrate type (bryophytes), 67+
Sun and shade samples (bryophytes), 435+
Surface moisture conditions (mosses), 88
Survival rates (rare bryophytes), 562
Sweden (lichen habitat), 507+
Sweden (Sphagnum), 194+
Symphyogyna marginata, 205+
Syntrichia andicola, 222; bogotensis, 219+; norvegica, 222
Synusia (fossils in amber), 535
Syrrhopodon incompletus, 529+

Tapellaria, 483
Tasmania (bryophytes), 67+m
Taxonomy (Bryaceae), 123+
Taylor, Edward, 39
Teloschistes flavicans, 249+m, 377+
Tertiary (fossil bryophytes), 526+
Texas (Neocatapyrenium), 538
Thalline fibrils (Protousnea), 1+
Thallinocarps (Lichinella), 567+
THEISEN, INGE. *See* HESS, SEBASTIAN, 212+
Tierra del Fuego (Protousnea), 2
Tipping bucket rain recorder, 103
TLC (Lepraria), 132
Toensbergianic acid (Lepraria), 131+, 224+
TOMÁS, RAFAEL. *See* NÚÑEZ-OLIVERA, ENCARNACIÓN, 435+
Tomenthypnum nitens, 91
TØNSBERG, TOR. *See* JØRGENSEN, PER MAGNUS, 412+
Tønsberg, Tor, 134
Tortula bogotensis, *219*
Transformation (Physcomitrella patens), 28
Trap structure (Pleurozia), 213+*
Treefall mounds (bryophytes), 391+
Treeferns, 72+
*trn*G (Sphagnum), 368+
*trn*L (Sphagnum), 368+
*trn*L-F (Microdendron), 591+
*trn*T-*trn*F, chloroplast (Jensenia), 206+
Trøndelag element (lichens), 507+
TURNER, PERPETUA A. M., and EMMA J. PHARO. Influence of Substrate Type and Forest Age on Bryophyte Species Distribution in Tasmanian Mixed Forest, 67+
TWINSPAN, 88

U.S. national parks (lichens), 544+m
United States (Lichinella), 567+
United States (Pohlia), 178+
United States North Pacific Exploring Expedition, 282+
United States, Southeastern (Gyalectidium), 295+
Urban moss (Bryum), 236+
Usnea, 1+; alectoroides, *9*; barbata var. oxygona, *9*; campestris, *13*; dusenii, *9*; hesperina, 250+m, 377+; hirta, 61+; magellanica, *11*; malacea, *13*; oxygona, *9*; poeppigii, *13*; santessonii syn. nov., *9*; subgen. Protousnea, *8*
Usnic acid (Protousnea), 3+
UV-B tolerance (bryophytes), 435+

Vital rates, 558
Vitality (Platismatia norvegica), 507+
Volcán Tenorio National Park vegetation, 108(4) Front cover, background*
Vulpicida pinastri, 61+

WANG, WEI. *See* LIU, YANG, 591+
Washington (coastal lichens), 241+
WEBER, WILLIAM A. *See* ZANDER, RICHARD H., 47+
Wet eucalypt forest, 69+
WETMORE, CLIFFORD M. *See* BENNETT, JAMES P., 544+
WIDHELM, TODD. *See* EGAN, ROBERT S., 402+

Xanthoria fallax, 61+

ZANDER, RICHARD H. [Review of:] HEYN, CHAIA CLARA and ILANA HERRNSTADT (EDITORS). The Bryophyte Flora of Israel and Adjacent Regions, 478+
ZANDER, RICHARD H., and WILLIAM A. WEBER. Anoectangium handelii (Bryopsida, Pottiaceae) in the New World, 47+
ZANDER, RICHARD H., JUAN ANTONIO JIMÉNEZ, and TARJA SAGAR. Didymodon bistratosus (Pottiaceae) in the New World, 540+
ZEDDA, LUCIANA. The Epiphytic Lichens on Quercus in Sardinia (Italy) and Their Value as Ecological Indicators [review], 341+
Zoophagy (Pleurozia), 212+